



7367-BO

# EXCEL SHOW CALF GROWER / FIN

MEDICATED

For Growing and Finishing Steers for Show

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.

**ACTIVE DRUG INGREDIENT**

LASALOCID..... 25 GM/TON

**GUARANTEED ANALYSIS**

CRUDE PROTEIN.....MIN... 12.5%	COBALT.....PPM	2.0
THIS INCLUDES NOT MORE THAN 0.9% EQUIVALENT PROTEIN FROM NON-PROTEIN NITROGEN.	COMPLEX COBALT .....	1.8
CRUDE FAT.....MIN... 5.0%	COPPER.....PPM	50
CRUDE FIBER.....MAX... 13.0%	COMPLEX COPPER .....	19
CALCIUM.....MIN... 0.4%	MANGANESE.....PPM	90
CALCIUM.....MAX... 0.8%	COMPLEX MANGANESE ...PPM	30
PHOSPHORUS.....MIN... 0.4%	ZINC.....PPM	115
SALT.....MIN... 0.4%	COMPLEX ZINC .....	55
SALT.....MAX... 0.8%	VITAMIN A.....MIN IU/LB	5000
POTASSIUM.....MIN... 0.7%		

**INGREDIENTS**

Steam Flaked Corn, Cottonseed Hulls 23%, Molasses Products, Steam Flaked Soybeans, Steam Flaked Oats, Steam Flaked Barley, Soybean Meal, Ground Limestone, Monocalcium Phosphate, Salt, Processed Grain By Products, Cottonseed Meal, Dried Aspergillus oryzae Fermentation Product, Ammonium Chloride, Dried Lactobacillus Acidophilus Fermentation Product, Dried Aspergillus Niger Fermentation Extract, Dried Streptococcus Faecium Fermentation Product, Yeast Culture, Enzymatically Hydrolyzed Yeast Cell Walls, Vitamin A Supplement, D-Activated Animal Sterol (Source of Vitamin D3), Vitamin E Supplement, Vitamin B-12 Supplement, Biotin Supplement, Riboflavin Supplement, Niacin Supplement, D-Calcium Pantothenate, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Ethylenediamine Dihydriodide, Thiamine Mononitrate, Folic Acid, Copper Sulfate, Zinc Sulfate, Ferrous Carbonate, Cobalt Sulfate, Manganese Sulfate, Choline Chloride, Sodium Selenite, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex and Cobalt Glucoheptonate, Trimethyl Glycine, Sodium Bicarbonate.

**FEEDING DIRECTION**

Feed EXCEL Grower/Finisher continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 8# to 28.80# of feed will supply the Lasalocid requirements. Feeding at a rate of 2-3% of body weight is the rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to help keep hydrated.

**WARNING:** A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion could be fatal.

7/31/16 47

ALLIED FEEDS INC. 208 HUTCHESON • CUERO, TEXAS 77954 NET WT 50# (22.72 KG) 02
---