

# **7388-B0 12% BRAHMAN BLEND** MEDICATED

FOR GROWING AND FINISHING CALVES

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.

**ACTIVE DRUG INGREDIENT** 

LASALOCID			30	GM/TON
	GUARANTEE	D ANALYSIS		
CRUDE PROTEINMIN CRUDE FATMIN CRUDE FIBERMAX CALCIUMMIN CALCIUMMIN PHOSPHORUSMIN	12.00% 3.50% 12.50% 0.75% 1.75% 0.45%	SALT SALT COPPER MANGANESE ZINC SELENIUM VITAMIN A	0.4	0.10% 0.25% PPM PPM PPM PPM 00 IU/LB

## INGREDIENTS

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIDDIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

## FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to bole focus bydrace. to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in pre-

<u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing unapproved species has not been established. Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02



# **7388-B0 12% BRAHMAN BLEND** MEDICATED

FOR GROWING AND FINISHING CALVES

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.

**ACTIVE DRUG INGREDIENT** LASALOCID. ... 30 GM/TON

<b>GUARANTEED ANALYSIS</b>				
CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%
CRUDE FATMIN	3.50%	SALT	MAX	0.25%
CRUDE FIBERMAX	12.50%	COPPER	16	PPM
CALCIUMMIN	0.75%	MANGANESE	40	PPM
CALCIUMMAX	1.75%	ZINC	40	PPM
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM
		VITAMIN A	MIN 150	0 IU/LB

INGREDIENTS

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIDDIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

## FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to bole focus bydretes. to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in preruninating cattle. Do not use in calves to be processed for veal. <u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing localogic ac ingresting acceld be feed.

Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02



FOR GROWING AND FINISHING CALVES For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.



LASALOCID

# 7388-B0 **12% BRAHMAN BLEND**

MEDICATED FOR GROWING AND FINISHING CALVES

.... 30 GM/TON

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.

# **ACTIVE DRUG INGREDIENT**

	GUARANTEE	d analysis		
CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%
CRUDE FATMIN	3.50%	SALT	MAX	0.25%
CRUDE FIBERMAX	12.50%	COPPER	16	PPM
CALCIUMMIN	0.75%	MANGANESE	40	PPM
CALCIUMMAX	1.75%	ZINC	40	PPM
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM
		VITAMIN A	MIN 1500	IU/LE

# INGREDIENTS

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

# FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to bole neon bydrated. to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in pre-<u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing Localocid for the safety of t

Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02

# 7388-B0

.. 30 GM/TON

# **12% BRAHMAN BLEND** MEDICATED

FOR GROWING AND FINISHING CALVES

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.

# **ACTIVE DRUG INGREDIENT**

GUARANTEED ANALYSIS					
CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%	
CRUDE FATMIN	3.50%	SALT	MAX	0.25%	
CRUDE FIBERMAX	12.50%	COPPER	16	PPM	
CALCIUMMIN	0.75%	MANGANESE	40	PPM	
CALCIUMMAX	1.75%	ZINC	40	PPM	
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM	
		VITAMIN A	MIN 150	0 IU/LB	

# INGREDIENTS

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

## FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pento help keep hydrated.

to help keep hydrated. <u>WARNING:</u> A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. <u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing <u>Lasablished</u> are insertion acould be fead. Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02





# **12% BRAHMAN BLEND** MEDICATED

FOR GROWING AND FINISHING CALVES

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter. **ACTIVE DRUG INGREDIENT** 

LASALOCID			30 G	M/TON
		D ANALYSIS		
CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%
CRUDE FATMIN	3.50%	SALT	MAX	0.25%
CRUDE FIBERMAX	12.50%	COPPER	16	PPM
CALCIUMMIN	0.75%	MANGANESE	40	PPM
CALCIUMMAX	1.75%	ZINC	40	PPM
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM
		VITAMIN A	MIN 1500	IU/LB

7388-B0

.. 30 GM/TON

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

# FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to hole near budgets. to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in pre-

<u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02

# **INFUL-O-PEP**

LASALOCID.

# **12% BRAHMAN BLEND** MEDICATED

FOR GROWING AND FINISHING CALVES

For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.

**ACTIVE DRUG INGREDIENT** 

(	GUARANTEED ANALYSIS					
CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%		
CRUDE FATMIN	3.50%	SALT	MAX	0.25%		
CRUDE FIBERMAX	12.50%	COPPER	16	PPM		
CALCIUMMIN	0.75%	MANGANESE	40	PPM		
CALCIUMMAX	1.75%	ZINC	40	PPM		
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM		
		VITAMIN A	<b>MIN 150</b>	0 IU/LB		

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

# FEEDING DIRECTIONS


Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to hole near budgets. to help keep hydrated.

to netp keep nydrated. <u>WARNING:</u> A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. <u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02



FOR GROWING AND FINISHING CALVES For Improved Feed Efficiency In Cattle Fed In Confinement For Slaughter.





LASALOCID

### 30 GM/TON LASALOCID.

# TEED ANALYSIS

CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%
CRUDE FATMIN	3.50%	SALT	MAX	0.25%
CRUDE FIBERMAX	12.50%	COPPER	16	PPM
CALCIUMMIN	0.75%	MANGANESE	40	PPM
CALCIUMMAX	1.75%	ZINC	40	PPM
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM
		VITAMIN A	MIN 1500	IU/LB

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCCHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

LASALOCID. . 30 GM/TON

# RANTEED ANALYSIS

CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%
CRUDE FATMIN	3.50%	SALT	MAX	0.25%
CRUDE FIBERMAX	12.50%	COPPER	16	PPM
CALCIUMMIN	0.75%	MANGANESE	40	PPM
CALCIUMMAX	1.75%	ZINC	40	PPM
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM
		VITAMIN A	MIN 150	DIU/LB

### INGREDIENTS

STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCOHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

### FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in preruminating cattle. Do not use in calves to be processed for veal. <u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been

established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02

### FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in pre-<u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been

established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02

LASALOCID. 30 GM/TON

# ED ANALYSIS

CRUDE PROTEINMIN	12.00%	SALT	MIN	0.10%
CRUDE FATMIN	3.50%	SALT	MAX	0.25%
CRUDE FIBERMAX	12.50%	COPPER	16	PPM
CALCIUMMIN	0.75%	MANGANESE	40	PPM
CALCIUMMAX	1.75%	ZINC	40	PPM
PHOSPHORUSMIN	0.45%	SELENIUM	0.4	PPM
		VITAMIN A	MIN 150	0 IU/LB

INGREDIENTS STEAM FLAKED CORN, STEAM FLAKED BARLEY, SOYBEAN MEAL, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE PRODUCTS 14%, FORAGE PRODUCTS, BEET PULP SHREDS, S.F. OATS, MOLASSES PRODUCT, GROUND LIMESTONE, DRIED WHEY, FISH MEAL, SALT, YEAST CULTURE, ANIMAL FAT PRESERVED WITH BHA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL(SOURCE OF VITAMIN D3), VITAMIN B12 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, DRIED APERGILLUS ORYZAE FER-MENTATION PRODUCT, MENADIONE SODIUM BISULFATE COMPLEX (SOURCE OF VITAMIN K), RIBOFLAVIN SUPPLEMENT, NIACINAMIDE, CHOLINE CHLORIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, FERROUS CARBONATE, FERROUS OXIDE, COPPER SULFATE, COPPER AMINO ACID COMPLEX, D-CALCIUM PANTOTHENATE, SODIUM SELENITE, BIOTIN, COBALT GLUCCHEPTONATE, ETHYLENEDIAMINE DIHYDRIODIDE, FOLIC ACID, THIAMINE MONONITRATE, MONOCALCIUM PHOSPHATE, ARTIFICIAL FLAVORING,

# FEEDING DIRECTIONS

Feed 12% Brahman Blend continuously to provide not less than 100 mg nor more than 360 mg/hd/day of Lasalocid. Feeding at a rate of 6.6# to 24# of feed will supply the Lasalocid requirements. Feed at a rate of 2-3% of body weight as a rule of thumb. Provide fresh water daily and suggested to place a salt block in pen to help keep hydrated.

WARNING: A withdrawal period has not been established for this product in pre-

<u>CAUTION:</u> The safety of Lasalocid for use in unapproved species has not been established. Do not use in calves to be processed for veal. Lasalocid as ingestion could be fatal.

Allied Feeds Inc. 208 Hutcheson, Cuero, TX 77954 Net WT. 50# (22.72 kg) 02